



APPENDIX 2: TABLES

Table A1 Number of men who reported having ever tried drugs: 1998

Age group	15-17	18-19	20-24	25-29	30-34	35-39	40-45	15-45
Sample size	400	179	391	423	460	497	510	2860
Alcohol	311	159	369	394	425	448	467	2572
Tobacco	225	128	280	302	312	324	326	1896
Marijuana	131	111	263	271	300	282	254	1612
Hashish	14	17	59	96	89	79	83	436
Hash Oil	56	36	89	96	86	69	64	497
Skunkweed	60	58	99	76	49	30	18	390
Any Hallucinogens	33	39	92	102	74	54	55	448
LSD	16	28	72	72	42	38	47	316
Mushrooms	25	23	53	69	46	33	28	277
Ecstasy	5	10	23	30	26	6	6	104
Other hallucinogens	3	5	19	14	22	16	11	91
Any Stimulants	13	24	48	72	50	56	51	314
Stimulants	11	22	40	60	48	45	38	264
Cocaine	5	4	12	33	15	27	29	125
Crack	0	2	7	6	1	0	3	18
Ice	2	0	0	4	1	1	0	8
Solvents	9	5	18	15	16	8	2	73
Tranquillisers	3	5	10	20	24	10	14	86
Any Opiates	10	10	24	22	21	16	18	122
Poppies	4	3	10	12	11	10	6	56
Heroin	2	0	2	7	5	4	6	26
Homebake	5	8	7	6	6	0	0	31
Morphine	5	5	11	5	9	1	9	45
Other opiates	0	3	2	3	6	6	6	28
Intravenous use	1	0	5	11	10	6	7	40
Kava	13	18	44	63	61	52	61	312
Ketamine	0	0	2	2	3	0	1	9
GHB	-	-	-	-	-	-	-	-
Rush	-	-	-	-	-	-	-	-

Note:

a) - Not asked in 1998

b) The numbers shown are weighted values rounded to the nearest whole number.

In some cases the entries on a row will not add up exactly to the last column because of rounding error.

Table A2 Number of men who reported using drugs in the last 12 months: 1998

Age group	15-17	18-19	20-24	25-29	30-34	35-39	40-45	15-45
Sample size	400	179	391	423	460	497	510	2860
Alcohol	308	158	365	389	417	446	463	2546
Tobacco	140	91	187	173	182	148	132	1053
Marijuana	104	82	160	121	108	62	51	689
Hashish	10	11	25	18	7	1	4	76
Hash Oil	41	28	39	37	20	9	7	181
Skunkweed	48	55	74	51	35	25	14	301
Any Hallucinogens	31	36	57	38	27	4	6	199
LSD	14	27	46	26	17	4	5	139
Mushrooms	25	21	25	11	9	0	2	92
Ecstasy	4	9	17	14	12	0	0	55
Other hallucinogens	3	3	5	0	1	0	0	13
Any Stimulants	6	21	31	28	18	6	6	115
Stimulants	6	20	30	25	17	6	3	106
Cocaine	2	3	7	11	3	2	1	29
Crack	0	2	0	0	1	0	2	5
Ice	2	0	0	0	0	0	0	2
Solvents	8	3	1	1	0	0	0	14
Tranquillisers	3	3	4	7	5	1	0	24
Any Opiates	10	7	10	5	6	1	1	39
Poppies	4	3	2	2	3	1	1	17
Heroin	2	0	2	1	1	0	0	6
Homebake	5	5	4	3	1	0	0	18
Morphine	5	5	2	2	2	0	0	16
Other opiates	0	2	2	1	1	0	0	8
Intravenous use	0	0	1	4	1	0	0	6
Kava	6	11	26	23	19	11	18	113
Ketamine	0	0	1	0	2	0	0	4
GHB	-	-	-	-	-	-	-	-
Rush	-	-	-	-	-	-	-	-

Note:

a) - Not asked in 1998

b) The numbers shown are weighted values rounded to the nearest whole number.

In some cases the entries on a row will not add up exactly to the last column because of rounding error.

**Table A3** Number of women who reported having ever tried drugs: 1998

Age group	15-17	18-19	20-24	25-29	30-34	35-39	40-45	15-45
Sample size	299	229	380	366	399	457	486	2615
Alcohol	234	194	319	309	349	403	420	2229
Tobacco	158	133	250	246	253	297	300	1637
Marijuana	77	108	181	201	197	203	180	1147
Hashish	6	11	23	35	44	42	45	206
Hash Oil	17	37	54	45	34	36	31	254
Skunkweed	13	32	42	27	14	12	9	150
Any Hallucinogens	16	31	54	46	39	32	32	250
LSD	6	20	44	30	22	20	24	166
Mushrooms	9	14	26	24	27	22	16	139
Ecstasy	4	8	12	18	12	6	2	61
Other hallucinogens	5	7	11	4	4	9	7	48
Any Stimulants	9	17	29	30	31	34	29	178
Stimulants	7	17	26	21	28	29	24	152
Cocaine	2	0	13	15	16	15	11	73
Crack	1	0	2	1	0	0	1	6
Ice	1	0	0	1	1	0	0	3
Solvents	8	4	4	10	4	2	1	34
Tranquillisers	2	2	8	4	9	7	8	40
Any Opiates	7	9	17	7	12	14	13	79
Poppies	0	2	10	4	8	7	11	43
Heroin	1	0	3	2	6	6	3	22
Homebake	6	7	8	5	1	3	2	32
Morphine	2	2	2	2	2	4	2	16
Other opiates	2	0	4	1	1	1	4	14
Intravenous use	3	1	3	4	5	7	3	27
Kava	1	14	15	26	27	28	22	133
Ketamine	0	0	0	1	1	0	0	2
GHB	-	-	-	-	-	-	-	-
Rush	-	-	-	-	-	-	-	-

Note:

a) - Not asked in 1998

b) The numbers shown are weighted values rounded to the nearest whole number.

In some cases the entries on a row will not add up exactly to the last column because of rounding error.

Table A4 Number of women who reported using drugs in the last 12 months: 1998

Age group	15-17	18-19	20-24	25-29	30-34	35-39	40-45	15-45
Sample size	299	229	380	366	399	457	486	2615
Alcohol	231	193	311	299	344	392	415	2185
Tobacco	113	107	152	145	125	138	129	910
Marijuana	61	82	85	52	48	35	36	399
Hashish	5	5	10	4	0	1	2	29
Hash Oil	12	22	19	7	1	7	3	72
Skunkweed	12	24	28	10	9	7	9	99
Any Hallucinogens	13	23	32	18	12	1	3	101
LSD	4	17	30	9	9	0	3	71
Mushrooms	7	7	6	7	2	0	0	30
Ecstasy	1	6	8	6	3	1	0	25
Other hallucinogens	4	3	3	0	0	0	0	11
Any Stimulants	9	14	15	8	7	5	1	58
Stimulants	5	14	15	8	7	2	1	51
Cocaine	2	0	4	2	2	2	0	13
Crack	1	0	0	0	0	0	0	2
Ice	1	0	0	0	0	0	0	1
Solvents	6	1	0	1	0	0	0	8
Tranquillisers	2	0	4	1	1	1	0	10
Any Opiates	5	5	13	1	0	0	0	26
Poppies	0	2	6	0	0	0	0	9
Heroin	1	0	0	1	0	0	0	2
Homebake	5	3	6	0	0	0	0	15
Morphine	2	1	1	1	0	0	0	5
Other opiates	2	0	3	1	0	0	0	7
Intravenous use	3	1	1	1	0	0	0	6
Kava	0	11	7	5	6	8	5	42
Ketamine	0	0	0	0	0	0	0	0
GHB	-	-	-	-	-	-	-	-
Rush	-	-	-	-	-	-	-	-

Note:

a) - Not asked in 1998

b) The numbers shown are weighted values rounded to the nearest whole number.

In some cases the entries on a row will not add up exactly to the last column because of rounding error.

**Table A5** Number of men who reported having ever tried drugs: 2001

Age group	15-17	18-19	20-24	25-29	30-34	35-39	40-45	15-45
Sample size	371	194	435	413	456	491	583	2942
Alcohol	307	170	405	379	395	442	505	2604
Tobacco	185	124	298	292	302	339	393	1932
Marijuana	121	91	289	250	273	287	333	1645
Hashish	18	19	69	75	78	88	108	455
Hash Oil	31	40	122	97	81	76	97	544
Skunkweed	59	53	143	99	67	66	53	538
Any Hallucinogens	33	39	121	104	78	72	83	529
LSD	15	28	76	73	53	47	54	346
Mushrooms	25	28	67	56	55	48	53	331
Ecstasy	6	16	63	55	26	20	13	198
Other hallucinogens	4	6	15	8	9	11	16	69
Any Stimulants	24	36	83	82	59	61	74	421
Stimulants	22	34	79	78	55	54	65	387
Cocaine	4	2	19	23	17	19	30	115
Crack	0	0	2	4	0	1	2	11
Ice	10	4	16	10	7	1	10	58
Solvents	10	6	13	12	16	5	7	69
Tranquillisers	2	6	14	16	21	11	15	85
Any Opiates	9	7	36	26	19	20	40	158
Poppies	2	3	14	17	16	10	30	92
Heroin	1	0	2	4	4	7	14	32
Homebake	8	5	18	5	4	1	9	51
Morphine	4	1	11	4	4	4	12	40
Other opiates	1	2	6	6	5	4	8	32
Intravenous use	2	1	4	3	5	3	10	28
Kava	19	18	60	48	63	61	83	352
Ketamine	1	5	14	3	2	1	0	26
GHB	2	9	15	9	7	3	1	46
Rush	9	11	28	36	34	32	34	186

Note: The numbers shown are weighted values rounded to the nearest whole number.

In some cases the entries on a row will not add up exactly to the last column because of rounding error.

Table A6 Number of men who reported using drugs in the last 12 months: 2001

Age group	15-17	18-19	20-24	25-29	30-34	35-39	40-45	15-45
Sample size	371	194	435	413	456	491	583	2942
Alcohol	306	169	405	377	393	438	503	2591
Tobacco	128	78	192	173	163	164	155	1052
Marijuana	104	80	186	121	86	84	72	732
Hashish	17	15	28	19	13	2	6	100
Hash Oil	25	34	68	24	12	12	10	185
Skunkweed	55	45	106	67	37	38	29	378
Any Hallucinogens	23	33	78	51	24	10	19	238
LSD	12	21	43	23	15	5	3	122
Mushrooms	16	23	34	14	5	2	10	103
Ecstasy	6	13	55	37	14	4	4	132
Other hallucinogens	4	6	7	0	1	1	2	21
Any Stimulants	21	29	57	50	18	13	15	203
Stimulants	21	29	54	47	18	10	13	191
Cocaine	0	0	9	7	2	4	1	23
Crack	0	0	2	2	0	0	0	4
Ice	8	4	12	8	2	0	5	39
Solvents	3	1	1	1	0	0	0	7
Tranquillisers	0	6	1	3	2	0	2	15
Any Opiates	7	6	13	6	3	3	3	42
Poppies	0	1	3	3	2	0	3	14
Heroin	0	0	0	2	0	0	0	3
Homebake	6	5	8	0	2	0	0	21
Morphine	2	1	3	2	2	1	0	11
Other opiates	1	1	3	4	1	2	0	13
Intravenous use	1	1	0	2	2	0	1	8
Kava	10	11	36	15	23	12	19	127
Ketamine	0	5	11	1	2	0	0	18
GHB	1	9	12	3	4	1	1	30
Rush	2	11	9	7	5	2	1	37

Note: The numbers shown are weighted values rounded to the nearest whole number.

In some cases the entries on a row will not add up exactly to the last column because of rounding error.

**Table A7** Number of women who reported having ever tried drugs: 2001

Age group	15-17	18-19	20-24	25-29	30-34	35-39	40-45	15-45
Sample size	271	186	325	347	430	449	553	2562
Alcohol	221	174	288	294	353	363	465	2157
Tobacco	146	127	223	223	268	286	323	1595
Marijuana	103	95	175	190	210	209	241	1222
Hashish	6	2	20	36	45	46	66	220
Hash Oil	23	13	44	35	44	31	40	231
Skunkweed	44	30	63	30	35	18	15	235
Any Hallucinogens	19	30	57	51	52	37	52	298
LSD	12	16	44	30	28	18	38	185
Mushrooms	12	18	28	22	26	26	30	161
Ecstasy	5	13	27	28	14	6	4	97
Other hallucinogens	3	0	8	5	3	9	2	30
Any Stimulants	17	15	45	37	46	36	39	235
Stimulants	17	15	45	33	43	35	32	220
Cocaine	0	2	5	11	11	10	22	61
Crack	0	0	2	0	0	2	0	5
Ice	2	1	5	1	1	2	2	16
Solvents	8	6	13	3	12	5	4	50
Tranquillisers	0	2	14	8	10	12	13	60
Any Opiates	8	8	16	13	9	15	12	81
Poppies	4	4	6	6	7	7	7	40
Heroin	0	0	0	2	0	2	4	9
Homebake	7	2	6	5	3	3	2	29
Morphine	0	1	5	1	3	3	4	18
Other opiates	0	3	7	1	1	5	5	23
Intravenous use	0	1	0	1	1	4	6	15
Kava	2	16	28	27	23	33	48	178
Ketamine	0	3	8	0	0	1	0	12
GHB	3	0	8	2	1	1	0	17
Rush	0	7	14	11	14	10	17	73

Note: The numbers shown are weighted values rounded to the nearest whole number.

In some cases the entries on a row will not add up exactly to the last column because of rounding error.

Table A8 Number of women who reported using drugs in the last 12 months: 2001

Age group	15-17	18-19	20-24	25-29	30-34	35-39	40-45	15-45
Sample size	*	186	325	347	430	449	553	2562
Alcohol	217	172	277	285	340	360	460	2110
Tobacco	108	102	132	125	130	130	123	850
Marijuana	81	60	78	47	47	39	35	386
Hashish	5	1	10	2	3	2	5	28
Hash Oil	18	4	19	3	7	7	6	63
Skunkweed	32	23	34	9	22	12	6	138
Any Hallucinogens	18	19	29	14	11	5	1	97
LSD	10	11	19	2	8	1	1	53
Mushrooms	11	5	7	1	1	1	0	27
Ecstasy	3	11	22	12	5	2	1	55
Other hallucinogens	0	0	0	0	0	0	0	0
Any Stimulants	13	13	26	10	15	8	1	87
Stimulants	13	13	26	9	14	7	1	84
Cocaine	0	2	0	5	2	2	1	13
Crack	0	0	0	0	0	0	0	0
Ice	2	1	4	1	0	0	0	9
Solvents	5	0	0	0	0	0	2	6
Tranquillisers	0	2	3	0	1	2	1	10
Any Opiates	5	3	3	0	1	3	0	16
<i>Poppies</i>	2	0	1	0	1	0	0	5
<i>Heroin</i>	0	0	0	0	0	0	0	0
<i>Homebake</i>	5	2	2	0	0	0	0	10
<i>Morphine</i>	0	1	0	0	0	1	0	2
<i>Other opiates</i>	0	1	1	0	0	3	0	6
Intravenous use	0	0	0	1	0	1	0	2
Kava	0	8	12	7	2	10	8	47
Ketamine	0	3	3	0	0	1	0	7
GHB	3	0	6	1	0	1	0	12
Rush	0	5	5	0	1	1	0	12

Note: The numbers shown are weighted values rounded to the nearest whole number. In some cases the entries on a row will not add up exactly to the last column because of rounding error.







